

PHONE: (352) 343-9839

352) 343-9473

FAX:

OFFICE OF PROCUREMENT SERVICES 315 WEST MAIN STREET, SUITE 441 PO BOX 7800 TAVARES FL 32778-7800

## ADDENDUM NO. 1

Date: March 10, 2014

RFP No. 14-0414

RFP Title: Bermuda Sports Turfgrass and Bahia Common Area Lawn Maintenance and Related Services – Minneola Athletic Complex

It is the vendor's responsibility to ensure their receipt of all addenda, and to clearly acknowledge all addenda within their initial bid or proposal response. Acknowledgement may be confirmed either by inclusion of a signed copy of this addendum with the initial bid or proposal response, or by completion and return of the addendum acknowledgement section of the solicitation. Failure to acknowledge each addendum may prevent the bid or proposal from being considered for award.

This addendum changes the date and time for receipt of bids or proposals from March 26, 2014 at 3:00 PM to April 3, 2014 at 3:00 PM.

The purpose of this addendum is to provide confirming information to all potential responding vendors in association with the RFP. The information provided herein summarizes discussions at the mandatory preproposal meeting. Attendees of this meeting are noted on the County website for this solicitation.

The pre-proposal conference commenced with a general review of the RFP with specific emphasis paid to various specific terms and conditions of the RFP including:

- Method of Award Pass/Fail Proposal Evaluation and Award as stated in Section 1.3
- It was confirmed that this was a mandatory pre-proposal conference and responses would not be accepted from vendors that did not attend the conference.
- Completion requirements (Section 1.13.2) regarding how the vendors shall submit offers to the County. Vendors shall submit their offers in two (2) parts simultaneously. The two parts (Technical Proposal and the Price Proposal) are to be submitted concurrently in separate envelopes, each plainly labeled with the solicitation number and the vendors name and address. The original proposals (Technical and Pricing) and one (1) complete copies of the Technical and Pricing proposal shall be submitted by the vendor and shall be sealed and delivered to Procurement Services no later than the official due date and time.

## **Change:**

Change Group 2, Fertilization and Pest Control Program For Bermuda Grass – includes all Bermuda grass areas include past the field areas, Month of July, Task 2:

From: Task 2 - Provide mechanical aeration holes 1-6 inches deep and 2-6 inches apart. Hand aeration, solid spikes or tines into the soil is not allowed on all Bermuda grass areas. Aeration depth and diameter shall be four (4) inches deep with one (1) inch diameter plugs and approximately four (4) inches apart.

**To:** Task 2 - Provide mechanical aeration holes 4 inches deep and 4 inches apart. Hand aeration, solid spikes or tines into the soil is not allowed on all Bermuda grass areas. Aeration depth and diameter shall be four (4) inches deep with one (1) inch diameter plugs and approximately four (4) inches apart.

## **Clarification:**

As stated in the Scope of Services, Group 1, Bermuda Grass and Common Area Detail Mowing and Maintenance, #3, Mowing work is permitted Monday through Friday between the hours of 7:00 AM to 4:00 PM. Trash pick-up and blowing off is required daily (Monday through Sunday). No mowing work is permitted on Saturdays, Sundays, or County holidays, unless specifically approved by Division Project Manager.

## **Questions and Answers:**

Question 1: Is there a place for the contractor to store equipment?

Answer 1: No.

Question 2: Is the contractor responsible for the waste in the future dog park (now retention pond)? Answer 2: Yes. The contractor is responsible for the waste in the dog park and proper disposal off County property when built. The contractor must replace waste station bags and furnish a fresh roll of waste bags as needed.

Question 3: Is the contractor responsible for mowing the retention pond area?

Answer 3: Yes.

Question 4: Is the contractor responsible for mowing of the right of way?

Answer 4: Contractor shall do trash pick-up and mow to the concrete curb that is butted against the road.

Question 5: Can the contractor provide alternate chemicals for Group 2, Fertilization and Pest Control Program for Bermuda Grass?

Answer 5: The Division has stated preferred chemicals, however, please read Section 1.23. Also, this should be noted in the Technical Proposal, Tab 2, B, Exceptions and also noted in the Price Proposal, Tab 1.

Question 6: It states in the scope of work that moving of Bermuda grass shall be moved two (2) times a week. If a third moving is needed for the week would we invoice this separately?

Answer 6: This schedule is an absolute minimum and the contractor may be required to exceed the minimum standards based on need, temperature, rainfall or other conditions that impact growth.

Firm Name:	Date:
Signature:	Title:
Typed/Printed Name:	